

# **SAVE THESE INSTRUCTIONS**

DEALER/INSTALLER: GIVE TO HOMEOWNER

## **ASSEMBLY AND INSTALLATION MANUAL FOR MODEL PES-G GATE ASSEMBLY**

Can be used on Pool Entry System or with STEP Enclosure Kit



**WARNING: GATE MUST BE PADLOCKED WHEN NOT IN USE.**

**CONFER PLASTICS, INC.**

**POOL ENTRY SYSTEM GATE ASSEMBLY**  
**MODEL # PES-G**  
**BILL OF MATERIALS**

DESCRIPTION	REQUIRED	PART #
#10 X 1 1/4" SELF TAPPING SCREW	14	3-00-14B
#7 x 1/2" SELF TAPPING SCREW	8	3-Gate-01
GATE LATCH ASSEMBLY	1	3-Gate-06
HINGE MOUNTING POST	1	6-Gate-02
LATCH MOUNTING POST	1	6-Gate-03
GATE	1	6-Gate-01
PADLOCK	1	3-Gate-05

**TOOLS REQUIRED —**  
 CORDLESS DRILL  
 1/16 DRILL BIT  
 PHILLIPS SCREW DRIVER BIT


#10 x 1-1/4" SELF TAPPING SCREW

#7 x 1/2" SELF TAPPING SCREW




**Step #1**

Spread open the flange of the hinge mounting post and slide it down over the **right** side panel until the bottom edge of the hinge post and the bottom edge of the side panel are even.




**Step #2**

Fasten the hinge post to the side panel using six of the #10 x 1-1/4" self-tapping screws at the pre-marked spots on each side of the hinge post (3 per side).




**Step #3**

Slide the open gate hinge through the hinge post pin opening and wrap the gate hinge around the hinge pin. Fasten the hinge at the four pre-marked spots using the #7 x 1/2" self-tapping screws (4 per hinge).




#### Step #4

Spread open the flange of the latch mounting post and slide it down over the left side panel. Slide the post up or down until the support knob closes properly into the recess on the post. Once the latch post is aligned so the gate closes properly fasten the post to the side panel using six of the #10 x 1-1/4" screws.



#### Step #5

Install the latch on the mounting block located on the upper portion of the latch post using four long screws supplied with the latch assembly.



#### Step #6

Close the gate and align the bar/plate by locking it into the latch as shown on the back of the latch assembly package. Secure the bar and plate to the gate with the one remaining long screw that was supplied with the latch assembly. The bar should be fastened in the lower pivot hole of the plate. The remaining two short screws that came with the latch assembly are used to secure the plate to the gate.

Latch Assembly:  
See detailed instructions on package.  
Padlock gate when not in use.

**Note:** Spraying the gate hinges with a silicone spray will aid in the self-closing action.

**WARNING: GATE MUST BE LOCKED WHEN POOL IS NOT IN USE.**

**NOTE:** CORRECT ALIGNMENT OF THE HINGE MOUNTING POST WILL RESULT AS SHOWN. BE SURE THE BOTTOMS OF BOTH THE POOL ENTRY SIDE PANEL AND THE HINGE MOUNTING POST ARE EVEN.

### Safety Information

- 1) Always follow the manufacturer's recommendations for the safe use of all hand tools and equipment.
- 2) When electrically powered hand tools and/or equipment are used outdoors, or where wet conditions are conducive to shocks, use a ground fault circuit interrupter.
- 3) Do not use the Confer-Gate for any purpose other than that for which it is intended.
- 4) When lifting awkward or heavy loads, have another person help you.
- 5) **Always padlock gate when not in use.**

**\*DANGER:** Use extreme caution when using an electric drill near water. Never use the drill when standing in water. If possible use a cordless drill.

#### CONFER PLASTICS, INC. LIMITED, PRO-RATED FIVE YEAR WARRANTY

Confer Plastics, Inc. warrants their products to be free from defects in workmanship and materials for one year from date of purchase. After the first year the cost to replace a part is as follows:

2nd Year - 20%  
3rd Year - 40%  
4th Year - 60%  
5th Year - 80%

Of current parts list price,  
plus shipping/handling charges.

#### DO NOT RETURN DEFECTIVE PART TO DEALER

The defective part should be returned, postpaid, to: Confer Plastics, Inc.  
97 Witmer Road  
North Tonawanda  
N.Y. 14120 U.S.A.

Or call us:  
(800) 635-3213  
(716) 694-3100

Enclose proof-of-purchase (receipts, etc.) showing date purchased, your name, address, and daytime phone number. You will be notified of cost to replace part. This warranty gives you specific legal rights, and you may also have other rights which may vary from state to state.

MADE IN THE U.S.A. by:



**CONFER**  
*plastics inc.*

97 Witmer Road  
North Tonawanda, New York 14120  
Toll Free U.S. 800-635-3213  
716-694-3100 / FAX 716-694-3102  
[www.conferladders.com](http://www.conferladders.com)

PES-G 3M 12/00

Printed in U.S.A.